



TECHNICAL INFORMATION

GRADE 304 STAINLESS STEEL CHEMICAL COMPOSITION - %

C Carbon	Mn Manganese	P Phosphorus	S Sulphur	Si Silicon	Cr Chromium	Ni Nickel	Fe Iron
304 0.08 max 304L 0.03 max	2.0 max	0.045 max	0.03 max	1.0 max	18.0 - 20.0	8.0 - 12.0	Balance

GRADE 316 STAINLESS STEEL CHEMICAL COMPOSITION - %

C Carbon	Mn Manganese	P Phosphorus	S Sulphur	Si Silicon	Cr Chromium	Ni Nickel	Mo Molybdenum	Fe Iron
316 0.08 max 316L 0.03 max	2.0 max	0.045 max	0.03 max	1.0 max	16.0 - 18.0	10.0 - 14.0	2.0 - 3.0	Balance